


# 3.0M 붐 & 1.6M 암 & 도저상승\_전방자세

DX55W-5K



- 붐 : 3.0 m
- 암 : 1.6 m
- 버켓 : 장착 안함
- 카운터웨이트 : 243 kg
- 휠 : 싱글 휠
- 도저 : 도저 상승
- : 전방 자세
- : 측방 또는 360 선회 자세
- 단 위 : 1,000 kg (1,000 lb)

WE1500898

그림 11


## METRIC


1,000 kg

A (m) \ B (m)	1		2		3		4		5		MAX. REACH		
													A (m)
5											* 1.20	* 1.20	3.59
4							* 1.21	1.09			1.01	0.90	4.49
3							1.21	1.06			0.85	0.75	4.98
2					1.77	1.54	1.16	1.02	0.83	0.73	0.78	0.69	5.20
1					1.67	1.45	1.11	0.97	0.81	0.71	0.77	0.67	5.19
0			* 2.22	* 2.22	1.63	1.41	1.08	0.94			0.81	0.71	4.94
-1	* 2.96	* 2.96	3.23	2.68	1.63	1.41	1.08	0.94			0.94	0.83	4.43
-2			3.30	2.75	1.67	1.44					1.36	1.18	3.47

# 3.0M 붐 & 1.6M 암 & 도저하강\_전방자세

DX55W-5K















- 붐 : 3.0 m
- 암 : 1.6 m
- 버켓 : 장착 안함
- 카운터웨이트 : 243 kg
- 휠 : 싱글 휠
- 도저 : 도저 하강
-  : 전방 자세
-  : 측방 또는 360 선회 자세
- 단위 : 1,000 kg (1,000 lb)

WE1500896

그림 9


## METRIC


1,000 kg

A (m) \ B (m)	1		2		3		4		5		MAX. REACH		
													A (m)
5											* 1.20	* 1.20	3.59
4							* 1.21	1.17			* 1.04	0.96	4.49
3							* 1.36	1.14			* 1.00	0.81	4.98
2					* 2.24	1.67	* 1.65	1.10	* 1.46	0.79	* 1.02	0.74	5.20
1					* 2.89	1.57	* 1.96	1.05	* 1.58	0.77	* 1.11	0.73	5.19
0			* 2.22	* 2.22	* 3.13	1.53	* 2.13	1.02			* 1.30	0.77	4.94
-1	* 2.96	* 2.96	* 4.00	2.96	* 3.03	1.53	* 2.08	1.02			* 1.71	0.89	4.43
-2			* 3.96	3.03	* 2.44	1.57					* 1.92	1.28	3.47

# 3.0M 붐 & 1.6M 암 & 도저상승\_후방자세

DX55W-5K















- 붐 : 3.0 m
- 암 : 1.6 m
- 버켓 : 장착 안함
- 카운터웨이트 : 243 kg
- 휠 : 싱글 휠
- 도저 : 도저 상승
-  : 전방 자세
-  : 측방 또는 360 선회 자세
- 단위 : 1,000 kg (1,000 lb)

WE1500897

그림 10


## METRIC



1,000 kg

A (m) \ B (m)	1		2		3		4		5		MAX. REACH		
													A (m)
5											* 1.20	* 1.20	3.59
4							* 1.21	1.09			* 1.04	0.90	4.49
3							* 1.36	1.06			* 1.00	0.75	4.98
2					* 2.24	1.54	* 1.65	1.02	1.27	0.73	* 1.02	0.69	5.20
1					2.76	1.45	1.75	0.97	1.25	0.71	* 1.11	0.67	5.19
0			* 2.22	* 2.22	2.71	1.41	1.71	0.94			1.26	0.71	4.94
-1	* 2.96	* 2.96	* 4.00	2.68	2.71	1.41	1.71	0.94			1.48	0.83	4.43
-2			* 3.96	2.75	* 2.44	1.44					* 1.92	1.18	3.47

# 3.0M 붐 & 1.6M 암 & 도저하강\_후방자세

DX55W-5K















- 붐 : 3.0 m
- 암 : 1.6 m
- 버켓 : 장착 안함
- 카운터웨이트 : 243 kg
- 휠 : 싱글 휠
- 도저 : 도저 하강
-  : 전방 자세
-  : 측방 또는 360 선회 자세
- 단위 : 1,000 kg (1,000 lb)

WE1500895

그림 8

## METRIC

1,000 kg

A (m) \ B (m)	1		2		3		4		5		MAX. REACH		
													A (m)
5											* 1.20	* 1.20	3.59
4							* 1.21	1.17			* 1.04	0.96	4.49
3							* 1.36	1.14			* 1.00	0.81	4.98
2					* 2.24	1.67	* 1.65	1.10	1.27	0.79	* 1.02	0.74	5.20
1					2.76	1.57	1.75	1.05	1.25	0.77	* 1.11	0.73	5.19
0			* 2.22	* 2.22	2.71	1.53	1.71	1.02			1.26	0.77	4.94
-1	* 2.96	* 2.96	* 4.00	2.96	2.71	1.53	1.71	1.02			1.48	0.89	4.43
-2			* 3.96	3.03	* 2.44	1.57					* 1.92	1.28	3.47