

5.7M HD북 & 2.9M HD암 & 도저 Up

DX240LC-7(X)


















그림 18

Track Width	: 2.99 m (9' 8")
Heavy Duty Boom	: 5.7 m (18' 8")
Heavy Duty Arm	: 2.9 m (9' 6")
Bucket	: Without Bucket
Counterweight	: 4,900 kg (10,802 lb)
Shoe	: 600 mm (24")
Dozer	: Dozer Up (Rear)
	: Rating Over Front
	: Rating Over Side or 360 degree
Unit	: 1,000 kg (1,000 lb)

DS2105242

METRIC

1,000 kg

A (m) \ B (m)	1.5		3		4.5		6		7.5		MAX. REACH		A (m)
													
7.5							* 5.19	* 5.19			* 4.52	* 4.52	6.20
6							* 5.68	* 5.68			* 4.21	* 4.21	7.31
4.5							* 6.22	6.08	* 5.75	4.29	* 4.15	3.86	7.99
3					* 9.10	8.85	* 7.08	5.81	* 6.10	4.18	* 4.26	3.54	8.35
1.5					* 10.80	8.29	* 7.94	5.54	* 6.51	4.05	* 4.54	3.42	8.42
0			* 6.43	* 6.43	* 11.62	7.99	* 8.49	5.35	6.45	3.95	* 5.06	3.49	8.22
-1.5	* 7.02	* 7.02	* 11.12	* 11.12	* 11.51	7.91	* 8.53	5.28	6.42	3.93	* 5.98	3.78	7.73
-3	* 11.99	* 11.99	* 14.64	* 14.64	* 10.52	7.98	* 7.81	5.32			* 6.41	4.47	6.88
-4.5			* 11.15	* 11.15	* 8.14	* 8.14					* 6.23	* 6.23	5.50

5.7M 붐 & 3.5M 암 & 도저 Up

DX240LC-7


















그림 25

Track Width	: 2.99 m (9' 8")
Boom	: 5.7 m (18' 8")
Arm	: 3.5 m (11' 6")
Bucket	: Without Bucket
Counterweight	: 4,900 kg (10,802 lb)
Shoe	: 600 mm (24")
Dozer	: Dozer Up (Rear)
	: Rating Over Front
	: Rating Over Side or 360 degree
Unit	: 1,000 kg (1,000 lb)

DS2100417


METRIC

1,000 kg

A (m) \ B (m)	1.5		3		4.5		6		7.5		MAX. REACH		
													A (m)
7.5											* 3.81	* 3.81	6.87
6									* 4.58	4.45	* 3.61	* 3.61	7.89
4.5							* 5.68	* 5.68	* 5.33	4.38	* 3.58	3.54	8.52
3			* 12.46	* 12.46	* 8.25	* 8.25	* 6.60	5.92	* 5.77	4.24	* 3.68	3.27	8.85
1.5					* 10.19	8.47	* 7.58	5.62	* 6.27	4.09	* 3.92	3.16	8.92
0			* 7.77	* 7.77	* 11.38	8.07	* 8.31	5.40	6.46	3.97	* 4.35	3.21	8.74
-1.5	* 6.85	* 6.85	* 10.92	* 10.92	* 11.66	7.90	* 8.58	5.27	6.39	3.90	* 5.08	3.43	8.28
-3	* 10.65	* 10.65	* 15.76	15.31	* 11.06	7.92	* 8.21	5.27			* 6.15	3.94	7.49
-4.5	* 15.62	* 15.62	* 13.10	* 13.10	* 9.35	8.09	* 6.70	5.41			* 6.25	5.14	6.25

8.5M 붐 & 6.2M 암 & 도저 미장착

DX240LC-7



Track Width : 3.19 m (10' 5")
 Boom : 8.5 m (27' 11")
 Arm : 6.2 m (20' 4")
 Bucket : Without Bucket
 Counterweight : 5,300 kg (11,684 lb)
 Shoe : 900 mm (36")
 Dozer : Without Dozer
 : Rating Over Front
 : Rating Over Side or 360 degree
 Unit : 1,000 kg (1,000 lb)

DS2100427

그림 36

METRIC

1,000 kg









A (m) \ B (m)	1.5		3		4.5		6		7.5		9	
12												
10.5												
9												
7.5												
6												
4.5											* 3.22	* 3.22
3			* 10.14	* 10.14	* 6.71	* 6.71	* 5.03	* 5.03	* 4.15	* 4.15	* 3.60	3.17
1.5					* 8.52	7.70	* 6.03	5.24	* 4.75	3.85	* 4.00	2.96
0			* 3.89	* 3.89	* 7.74	6.99	* 6.81	4.79	* 5.27	3.57	* 4.35	2.77
-1.5	* 3.74	* 3.74	* 4.71	* 4.71	* 7.47	6.65	* 7.30	4.51	5.51	3.36	4.27	2.62
-3	* 4.76	* 4.76	* 5.74	* 5.74	* 8.15	6.54	7.41	4.36	5.37	3.23	4.16	2.53
-4.5	* 5.83	* 5.83	* 6.91	* 6.91	* 9.31	6.55	7.36	4.32	5.31	3.18	4.12	2.48
-6	* 6.99	* 6.99	* 8.27	* 8.27	* 9.37	6.66	* 7.14	4.36	5.32	3.19	4.13	2.49
-7.5	* 8.27	* 8.27	* 9.87	* 9.87	* 8.42	6.86	* 6.52	4.47	* 5.22	3.27	4.20	2.56
-9			* 9.37	* 9.37	* 6.97	* 6.97	* 5.47	4.68	* 4.35	3.44	* 3.32	2.73

8.5M 붐 & 6.2M 암 & 도저 미장착

DX240LC-7

METRIC

1,000 kg

A (m) \ B (m)	10.5		12		13.5		MAX. REACH		
									A (m)
12							* 1.05	* 1.05	9.79
10.5	* 1.63	* 1.63					* 0.96	* 0.96	11.16
9	* 2.25	* 2.25	* 1.15	* 1.15			* 0.91	* 0.91	12.18
7.5	* 2.61	* 2.61	* 1.91	* 1.91			* 0.88	* 0.88	12.95
6	* 2.78	2.73	* 2.38	2.12	* 0.90	* 0.90	* 0.88	* 0.88	13.52
4.5	* 2.99	2.61	* 2.79	2.05	* 1.49	* 1.49	* 0.89	* 0.89	13.89
3	* 3.24	2.48	* 2.99	1.96	* 1.84	1.57	* 0.92	* 0.92	14.10
1.5	* 3.50	2.34	2.99	1.87	* 2.04	1.52	* 0.97	* 0.97	14.14
0	3.54	2.21	2.91	1.79	* 2.03	1.47	* 1.04	* 1.04	14.03
-1.5	3.44	2.11	2.84	1.73	* 1.68	1.43	* 1.14	* 1.14	13.74
-3	3.36	2.04	2.79	1.68			* 1.28	* 1.28	13.29
-4.5	3.33	2.01	2.79	1.68			* 1.48	* 1.48	12.64
-6	3.35	2.03					* 1.80	1.77	11.75
-7.5	* 2.75	2.12					* 2.36	2.10	10.58
-9							* 3.29	2.72	9.02