


# Arti-Boom & 2.25M 암 & 전방자세 & Dozer Up

**DX100W-7**



Front : Cradle, Rear : Dozer, Under Attach Up, Looking at the Front


Boom	: Lower Boom 1.89 m (6' 2")
	: Upper Boom 1.88 m (6' 2")
Arm	: 2.25 m (7' 4")
Bucket	: Without Bucket
Counterweight	: 1,350 kg (2,976 lb)
Tire	: 2W_Double
	: Rating Over Front
	: Rating Over Side or 360 degree
Unit	: 1,000 kg (1,000 lb)

DS2104668

METRIC											1,000 kg
A (m)	1.5		3		4		6		최대 리치		
B (m)											A (m)
6					* 2.01	* 2.01			* 1.88	1.75	4.91
4.5					* 1.92	* 1.92	* 1.75	1.26	* 1.55	1.22	6.10
3					* 2.24	1.97	* 1.77	1.24	* 1.47	1.03	6.67
1.5					* 2.64	1.80	* 1.85	1.18	* 1.51	0.98	6.80
0			* 3.11	3.03	* 2.68	1.70	* 1.76	1.14	* 1.41	1.02	6.54
-1.5	* 3.36	* 3.36	* 3.40	3.07	* 2.15	1.69			* 1.17	* 1.17	5.81
-3									* 0.70	* 0.70	4.04

# Arti-Boom & 2.25M 암 & 후방자세 & Dozer Down

**DX100W-7**



Front : Cradle, Rear : Dozer, Under Attach Down, Looking at the Rear


Boom	: Lower Boom 1.89 m (6' 2")
	: Upper Boom 1.88 m (6' 2")
Arm	: 2.25 m (7' 4")
Bucket	: Without Bucket
Counterweight	: 1,350 kg (2,976 lb)
Tire	: 2W_Double
	: Rating Over Front
	: Rating Over Side or 360 degree
Unit	: 1,000 kg (1,000 lb)

DS2104669

METRIC											1,000 kg
A (m)	1.5		3		4		6		최대 리치		
B (m)											A (m)
6					* 2.01	* 2.01			* 1.88	* 1.88	4.91
4.5					* 1.92	* 1.92	* 1.75	1.41	* 1.55	1.36	6.10
3					* 2.24	2.19	* 1.77	1.39	* 1.47	1.16	6.67
1.5					* 2.64	2.02	* 1.85	1.33	* 1.51	1.10	6.80
0			* 3.11	* 3.11	* 2.68	1.92	* 1.76	1.29	* 1.41	1.15	6.54
-1.5	* 3.36	* 3.36	* 3.40	* 3.40	* 2.15	1.91			* 1.17	* 1.17	5.81
-3									* 0.70	* 0.70	4.04

# Arti-Boom & 2.25M 암 & 후방자세 & Dozer Up

DX100W-7



Front : Cradle, Rear : Dozer, Under Attach Up, Looking at the Rear

Boom	: Lower Boom 1.89 m (6' 2")
	: Upper Boom 1.88 m (6' 2")
Arm	: 2.25 m (7' 4")
Bucket	: Without Bucket
Counterweight	: 1,350 kg (2,976 lb)
Tire	: 2W_Double
	: Rating Over Front
	: Rating Over Side or 360 degree
Unit	: 1,000 kg (1,000 lb) DS2104670

METRIC											1,000 kg
A (m)	1.5		3		4		6		최대 리치		
B (m)											A (m)
6					1.88	* 2.01			1.58	1.75	4.91
4.5					1.89	* 1.92	1.13	1.26	1.09	1.22	6.10
3					1.78	1.97	1.12	1.24	0.92	1.03	6.67
1.5					1.61	1.80	1.06	1.18	0.87	0.98	6.80
0			2.68	3.03	1.51	1.70	1.02	1.14	0.91	1.02	6.54
-1.5	* 3.36	* 3.36	2.72	3.07	1.50	1.69			1.08	* 1.17	5.81
-3									* 0.70	* 0.70	4.04